

Material Name: <=8.7% Methane in Nitrogen

SDS ID: 00244591

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name <=8.7% Methane in Nitrogen

Product Use Industrial and Specialty Gas Applications. **Restrictions on Use**

None known.

Details of the supplier of the safety data sheet MATHESON TRI-GAS, INC. 150 Allen Road, Suite 302 Basking Ridge, NJ 07920 General Information: 1-800-416-2505 Emergency #: 1-800-424-9300 (CHEMTREC) Outside the US: 703-527-3887 (Call collect)

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200. Gases Under Pressure - Compressed gas

GHS Label Elements

Symbol(s)



Signal Word Warning

Hazard Statement(s)

Contains gas under pressure; may explode if heated. May displace oxygen and cause rapid suffocation.

Precautionary Statement(s)

Prevention

None needed according to classification criteria.



Material Name: <=8.7% Methane in Nitrogen

Response

None needed according to classification criteria.

Storage

Protect from sunlight. Store in a well-ventilated place.

Disposal

Dispose in accordance with all applicable regulations.

Other Hazards

Rapid release of compressed gas may cause frostbite.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
7727-37-9	Nitrogen	91.3-100
74-82-8	Methane	0-8.7

Section 4 - FIRST AID MEASURES

Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

Skin

If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115 F; 41-46 C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.

Eyes

Immediately flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

Ingestion

If swallowed, get medical attention.

Most Important Symptoms/Effects

Acute

frostbite, suffocation



Material Name: <=8.7% Methane in Nitrogen

SDS ID: 00244591

Delayed no information on significant adverse effects.

Note to Physicians

For inhalation, consider oxygen.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media carbon dioxide, regular dry chemical

Unsuitable Extinguishing Media Do not direct water at source of leak or safety devices; icing may occur.

Special Hazards Arising from the Chemical

Negligible fire hazard. Containers may rupture or explode if exposed to heat.

Hazardous Combustion Products

Oxides of carbon

Fire Fighting Measures

Move container from fire area if it can be done without risk. Damaged cylinders should be handled only by specialists. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. For tank, rail car or tank truck: Evacuation radius: 800 meters (1/2 mile). Use extinguishing agents appropriate for surrounding fire. Apply water from a protected location or from a safe distance. Reduce vapors with water spray. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Consider downwind evacuation if material is leaking.

Special Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Stop leak if possible without personal risk. Keep unnecessary people away, isolate hazard area and deny entry. Use water spray to reduce vapors or divert vapor cloud drift. Avoid allowing water runoff to contact spilled material. Do not direct water at source of leak or safety devices; icing may occur. Stay



Material Name: <=8.7% Methane in Nitrogen

SDS ID: 00244591

upwind and keep out of low areas. This gas will be dissipated rapidly in well ventilated areas. Ventilate closed spaces before entering.

Environmental Precautions

Avoid release to the environment.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Damaged cylinders should be handled only by specialists. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling. Protect from physical damage.

Conditions for Safe Storage, Including any Incompatibilities

Protect from sunlight. Store in a well-ventilated place.

Store and handle in accordance with all current regulations and standards. Cylinders should be stored upright (with valve protection cap in place). Protect from physical damage. Protect from sunlight. Store in a cool, dry, well ventilated area of non-combustible construction. Store below 52 C. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances.

Incompatible Materials

halogens, oxidizing materials, combustible materials

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Nitrogen	7727-37-9
ACGIH:	(See Appendix F: Minimal Oxygen Content)
Methane	74-82-8
ACGIH:	(See Appendix F: Minimal Oxygen Content)

$\rm EU$ - Occupational Exposure (98/24/EC) - Binding Biological Limit Values and Health Surveillance Measures

There are no biological limit values for any of this product's components.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.



Material Name: <=8.7% Methane in Nitrogen

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

For the gas: Eye protection not required, but recommended. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin Protection

For the gas: Protective clothing is not required.

Respiratory Protection

Under conditions of frequent use or heavy exposure, respiratory protection may be needed. Respiratory protection is ranked in order from minimum to maximum. Consider warning properties before use. For Unknown Concentrations or Immediately Dangerous to Life or Health -. Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode. Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

Glove Recommendations

Wear insulated gloves.

		-			
Appearance	colorless gas	Physical State	gas		
Odor	odorless	Color	colorless		
Odor Threshold	Not available	рН	Not available		
Melting Point	-210 °C (-346 °F Nitrogen)	Boiling Point	-196 °C (-321 °F Nitrogen)		
Freezing point	Not available	Evaporation Rate	Not available		
Boiling Point Range	Not available	Flammability (solid, gas)	Not flammable		
Autoignition	Not available	Flash Point	(Not flammable)		
Lower Explosive Limit	Not available	Decomposition	Not available		
Upper Explosive Limit	Not available	Vapor Pressure	760 mmHg at -196 °C		
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available		

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES



Material Name: <=8.7% Methane in Nitrogen

SDS ID: 00244591

Water Solubility	Not available	Partition coefficient: n- octanol/water	Not available
Viscosity	Not available	Solubility (Other)	Not available
Density	Not available	Physical Form	compressed gas
Mole cular Weight	Not available		

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.

Chemical Stability Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions Will not polymerize.

Conditions to Avoid Protect from physical damage and heat. Containers may rupture or explode if exposed to heat.

Incompatible Materials halogens, oxidizing materials, combustible materials

Hazardous decomposition products

Oxides of carbon

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

nausea, vomiting, difficulty breathing, headache, drowsiness, fatigue, dizziness, Disorientation, mood swings, tingling sensation, loss of coordination, convulsions, suffocation, Unconsciousness, coma

Skin Contact frostbite

Eye Contact frostbite

Ingestion ingestion of a gas is unlikely

Acute and Chronic Toxicity



Material Name: <=8.7% Methane in Nitrogen

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified

Immediate Effects suffocation, frostbite

Delayed Effects no information on significant adverse effects.

Irritation/Corrosivity Data

No data available for the mixture.

Respiratory Sensitization No data available for the mixture.

Dermal Sensitization No data available for the mixture.

Component Carcinogenicity None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

Germ Cell Mutagenicity No data available for the mixture.

Tumorigenic Data No data available

Reproductive Toxicity No data available for the mixture.

Specific Target Organ Toxicity - Single Exposure No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure No target organs identified.

Aspiration hazard Not applicable.

Medical Conditions Aggravated by Exposure None known.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components

Persistence and Degradability

No data available for the mixture.



Material Name: <=8.7% Methane in Nitrogen

Bioaccumulative Potential No data available for the mixture.

Mobility No data available for the mixture.

Other Toxicity No additional information is available.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods Dispose in accordance with all applicable regulations.

Section 14 - TRANSPORT INFORMATION

US DOT Information: Shipping Name:Compressed gas, n.o.s., (Contains:Methane, Nitrogen) Hazard Class: 2.2 UN/NA #: UN1956 Required Label(s): 2.2

IMDG Information: Shipping Name:Compressed gas, n.o.s., (Contains:Methane, Nitrogen) Hazard Class: 2.2 UN#: UN1956 Required Label(s): 2.2

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) Acute Health: No Chronic Health: No Fire: No Pressure: Yes Reactivity: No

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:



Material Name: <=8.7% Methane in Nitrogen

Component	CAS	CA	MA	MN	NJ	PA
Nitrogen	7727-37-9	No	Yes	Yes	Yes	Yes
Methane	74-82-8	No	Yes	Yes	Yes	Yes

Not listed under California Proposition 65

Canadian WHMIS Ingredient Disclosure List (IDL)

The components of this product are either not listed on the IDL or are present below the threshold limit listed on the IDL.

Component Analysis - Inventory

Nitrogen (7727-37-9)

US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes	Yes

Methane (74-82-8)

US	CA	EU	AU	РН	JP - ENCS	-	KR - KECI/KECL	KR - TCCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes	Yes

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 2 Fire: 0 Reactivity: 0 Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

Updated: 05/01/2015

Key/Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD -Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA -Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil



Material Name: <=8.7% Methane in Nitrogen

SDS ID: 00244591

Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH -Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

Other Information

Disclaimer:

Matheson Tri-Gas, Inc. makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Matheson Tri-Gas, Inc. shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.